

GENDERLOCK
CHASTITY CAGE

GENDERLOCK
MADE IN GERMANY



MODEL **A**

INSTRUCTIONS FOR USE



WELCOME TO THE GENDERLOCK FAMILY!

„Congratulations on your new Genderlock chastity cage. With Model A, my goal was to create a chastity cage that can be worn comfortably every day without causing hindrance or being noticeable.

Instead of just copying or slightly modifying existing cage designs, I wanted to create something completely new. Unlike other well-known models, my concept does not place the testicles underneath the penis. Instead, they are separated by the device and held at the sides. This allows the top side to be significantly flatter than what is traditionally common.

Apart from that, Model A functions just like classic chastity cages: when closed, the opening for the penis and testicles becomes small enough to prevent them from being pulled out.

Whether you are just discovering chastity for the first time or have been locked up for a long while, thank you for purchasing the Model A chastity cage, and I hope you enjoy it!“

Simon, Founder of Genderlock

BETTER TOGETHER

Handing over control of your own body to someone else can be highly thrilling. However, never let yourself be forced into anything you do not want. If you enjoy chastity, I am happy to accompany you on this journey.

If you have any ideas for improvement, please feel free to send me an email at info@genderlock.de


Together, we can work on a customized solution for you.

In fact, the variations for Model E were created in direct collaboration with our users.

A few extensions for Model A are already in development and will appear in our online shop soon. These include, for example:

A strap system with an open rear, allowing you to wear the strap even longer without needing to unlock it.

A butt plug designed for the existing strap system, which can then no longer be removed without unlocking the device.



ADJUSTING THE STRAP LENGTH

The included straps are quite long and will likely not fit you during the first trial. Therefore, it is necessary to adjust the straps to your required length.

Again, take your time and gradually find your ideal length. Because you will need to cut the straps, you can only ever shorten them, never make them longer. But don't worry—if you accidentally shorten the straps too much or if they simply no longer fit over time, you can reorder individual straps in our online shop at any time.

Adjust the crotch strap first. The length should be chosen so that the strap connector on the back sits at the same height as it would on a thong.




To shorten the strap, push it into the Y-fork. An insert piece should come loose. You can now move this insert by one strap hole and then pull it back into the fork.

Repeat this process until you reach the desired length. Once you are certain about the length, you should cut off the excess strap material.

The procedure for the waist straps is similar. Due to space constraints, there is no sliding piece here; instead, you will find a locking pin. You can pry this pin out with a screwdriver and then tighten the strap by moving it down one hole.

Here, too, the excess strap must be cut off. Otherwise, it would collide with the sizing rings during insertion.

The right length has been found when the chastity cage is held snugly against the body. Always remember that shortening the straps later is no problem at all, but to make them longer, you will need to order a new strap.



WHAT'S IN THE BOX


When you open the box, you will find the chastity cage on the right side, consisting of a **base** and a **cover**. **Two cover plates** are already inserted into the upper corners. You can remove these later if you wish to secure your cage with additional straps.

On the left side, there are additional boxes containing the matching **accessories** for your cage.

In the first box, you will find a **lock** to lock your chastity cage. Because the cage features a push button for unlocking, it can also be used without a lock. However, for a secure lockup, you will naturally need this lock.

In the second box, there are five **sizing rings** to adjust your chastity cage to your required size. You can choose from five different sizes ranging from XS to XL.

In the final box, there is a **strap system** that allows you to secure your chastity cage even closer to your body. This makes it even more discreet if you want to wear it under tight clothing. This strap can also provide extra security, though it is not strictly required to lock your cage.



Before explaining everything in more detail, here are a few safety guidelines.

SAFETY GUIDELINES

Age Restriction: Our products are not toys and are not suitable for persons under 18. Sharing with minors or use by/on persons under 18 is prohibited.

Consensual: Our products must never be used on other people without their explicit consent.

Discomfort and Pain: Pay close attention to signs of discomfort, pain, or irritation. These are signs that the cage must be removed immediately to prevent injury.

Skin Health: Regularly check for redness, sores, or other skin issues. Remove the device and address any problems immediately to avoid complications.

Hygiene Breaks: During extended wear, taking short daily breaks for cleaning helps maintain hygiene and prevent infections.

Regular Breaks: Even for experienced users, it is recommended to remove the chastity cage at least every few days. This allows you to thoroughly clean and inspect both the device and your skin.

Lubricant: Use water-based lubricant to reduce friction and prevent chafing. However, only use as much as necessary, as drying lubricant can become uncomfortably sticky and itchy.

Disclaimer: Use of our products is at your own risk. We assume no liability or responsibility for improper use and any resulting damage.

Functionality: Familiarize yourself with how the chastity device works before using it.

Practice: Practice the removal process before putting the chastity device on, so you can take it off quickly in case of an emergency.

Locking: The chastity cage can be secured against unauthorized opening using the included locking bolt. For safety reasons, the key should always remain within arm's reach.

Cleaning: Clean the chastity cage carefully by hand using mild soapy water.

USING THE STRAPS

As a rule, Model A can be worn just like a classic chastity cage without any additional waist straps. However, some users find it more comfortable to equip the cage with straps, as this keeps it held closer to the body. In some cases, this can also provide additional escape protection.


To equip your chastity cage with the included straps, you must first open it and remove the cover plates from the base plate.

Next, attach the crotch strap to the bottom end of the base. It is crucial to ensure that the Y-fork points backward with the metal pin (as shown in the picture). This guarantees that the cover can still press down onto the release button without obstruction.

The fork piece should be able to rotate freely toward the back. If this part is inserted incorrectly, it can cause damage to the device.

The best time to insert the waist straps is immediately after you have fitted the correct sizing ring. The cage will then automatically be in its correct wearing position.




You can now insert the waist straps one after the other into the designated openings in the base plate. The respective sides are marked with **L** (Left) and **R** (Right).



The right strap goes into the right side, and the left strap into the left side. If the markings do not align, you have likely attached the crotch strap backward and need to flip it around.


All three straps attached to the base plate are also locked in place by the cover, meaning they serve as additional escape protection.

When trying them on for the first time, the straps will likely be set much too long. The next section explains how to adjust their length.




LOCKING

Once you have become accustomed to wearing your chastity cage, it is time to lock it. This is the only way it can reliably fulfill its purpose for chastity play.



A matching lock is included in the top-left accessory box. You can insert the lock cylinder directly into the designated opening of the release button and lock it. The key can only be removed when the lock cylinder is fully locked. Once locked, the release button can no longer be pressed.


Take your time and gradually work your way up to longer periods of being locked. At first, leave the key at home only while you go shopping or head to work. Alternatively, you can give the key directly to a trusted person for safekeeping.



OPENING THE CHASTITY CAGE


Familiarize yourself with the opening mechanism before putting the chastity cage on. This ensures you can **free yourself quickly in an emergency**.

When you take the chastity cage out of the packaging for the first time, it will be closed but not yet locked.



To separate the cover from the base plate, first press the release button located at the bottom end.


Keep the button pressed down and pull the cover and base apart at the bottom.



At the top end, the two parts are connected by a special hinge. To separate the parts there, you need to rotate the cover upward to a specific angle of at least 10°.

Once this angle is reached, the connection releases and the cover can be completely removed.

If you have already locked the chastity cage, you must first remove the locking bolt from the button to release it. To do this, insert the matching key into the lock and turn it 45° to the left. You can then pull the entire locking bolt out of the button, which will release it.




INSERTING THE SIZING RINGS


To ensure the chastity cage fits you well, it is important to adjust the penis opening to your required size. You can do this by inserting one of the five sizing rings into the chastity cage base.

First, remove the cover of your chastity cage if you haven't already done so.

Next, guide your penis along with your scrotum through the base plate.





Now, lift your penis and testicles with one hand, and use your other hand to insert a sizing ring into the relatively large, round opening in the base plate. It is best to start with the largest ring (XL) and try smaller sizes later until you find the perfect fit for you.



The rings feature size markings on the bottom.

First, place the ring onto the designated tab at the bottom end, and then snap it into the opening at the top. The ring will click gently into place.



Be careful during insertion to avoid accidentally pinching your skin. A fresh shave can help ensure that no small hairs get caught.


At this stage, the sizing ring can still be removed relatively easily. Once the cover of the chastity cage is closed later, the sizing ring will also be locked in place and can no longer be removed.

To ultimately check if the sizing ring is the correct size, the chastity cage must be fully closed.

Only then will the penis opening become properly tight, allowing you to test its security. You will learn how to close the cage in the next chapter.

THE FIRST LOCKUP

The chastity cage, now customized to your fit, can now be closed for the first time. Due to anticipation and excitement, this might feel a bit difficult at first. However, over time you will get used to it, and it will become easier and easier. Longer wearing periods will surely be possible soon.



To close your chastity cage, first place the cover onto the base plate at a slightly open angle of about 10–20°.




Ensure that the retaining tabs at the top end of the cover engage with the designated guides.

In this cover position, you can now guide your penis into the intended tube inside the cover.

Now, carefully close the cover further and further, making sure not to pinch yourself anywhere.

Note: When closing, the testicles must rest to the left and right sides of the penis.

During the closing process, also check the correct fit of the previously inserted sizing ring. Closing the cover will firmly lock the ring into the base.



The chastity cage cover is fully closed when the latching mechanism at the bottom clicks into place. To reduce pressure on the mechanism while closing, you can also press down on the release button.